MUNICIPAL
INDUSTRIAL
CONSTRUCTION / RENTAL
AGRICULTURE



High-Head, High Performance, Self-Priming Trash Pumps



### A HISTORY OF INNOVATION



Gorman-Rupp has been revolutionizing the pumping industry since 1933. Many of the innovations introduced by Gorman-Rupp over the years have become industry standards.

More than ever, we continue to update our factories, processes, research and development, and engineering to ensure that our pumps and systems are among the most reliable and efficient in the world. One of our most successful and innovative lines of pumps has been our self-priming models.

Revolutionary improvements were made in 1963 with the introduction of our T Series® self-priming pumps. Since then, continuous improvements to head, flow and efficiency have been made.

In 2000 we introduced our Super T Series® with many added maintenance features to enhance serviceability. And, in 2005, Gorman-Rupp introduced the revolutionary Ultra V Series®

which offers industry-leading performance for self-priming applications

Today, Gorman-Rupp self-priming pumps are the world's leading choice for waste handling applications in industries such as steel and paper mills, mining operations, food processing plants, power plants, automotive factories, tanneries and wineries. They are also the pump of choice in many sewage-handling applications worldwide.

Gorman-Rupp's commitment to our original philosophy of innovation, continuous improvement, unparalleled quality and customer service continues to set us apart from others.

# OUR PUMPS DELIVER DECADES OF PERFORMANCE AND VALUE.

Gorman-Rupp is committed to meeting your fluid-handling requirements long after installation. The quality manufacturing and testing that go into every Ultra V Series® pump guarantee long-lasting, trouble-free operation. And we provide a five year warranty and fast parts service to back up our products and ensure your peace of mind.

## Make Gorman-Rupp Your Single Source For:

#### **Value**

Ultra V Series® pumps boast some of the lowest lifecycle costs in the industry. Because of the quality manufacturing and testing that goes into every Gorman-Rupp product, you benefit from minimal service interruptions and some of the lowest maintenance in the industry. Gorman-Rupp delivers the best ROI by ensuring low operating costs for decades.

#### **Parts and Service**

When you need a replacement part for your Ultra V Series, you'll have it fast. With tens of thousands of genuine Gorman-Rupp parts and pumps at our disposal, we fill and ship 97% of parts orders within 24 hours. Should your Ultra V Series pump or ReliaSource® pump package ever require service, our worldwide network of factory-trained distributors is ready to quickly respond to your needs. With just one number to call for parts and service for your entire lift station, it's easy and convenient to keep your equipment performing as it should.

#### **Peace of Mind**

At Gorman-Rupp, we don't just say our pumps are reliable. Unlike standard 90-day or one-year warranties, we guarantee every part and working component of a Ultra V Series pump for a full five years. With Gorman-Rupp, reliable performance is always guaranteed.







## **ULTRA V SERIES® & VS SERIES**

High-Head, High Performance Self-Priming, Solids-Handling Trash Pumps



#### **Superior Performance**

The Ultra V Series $^{\circ}$  and VS Series solids-handling, self-priming centrifugal trash pumps offer up to three times the pressure and up to 60% more performance.

Available in a variety of pump station configurations or stand-alone in 3", 4" and 6" sizes. The superior solids-handling and increased pressure capabilities of the Ultra V Series pumps make them ideally suited for a variety of industrial and sewage applications.

Ultra V Series® pumps are available in a variety of drive variations including basic units, trailer mounted engine-driven units, or as part of an engineered ReliaSource® packaged pump station.

#### **Ultra V Series® Pumps Feature:**

- Up to three times the pressure
- Up to 60% increased flow
- · Greater efficiencies
- · Self-cleaning features
- Reduced footprint
- Externally removable suction check valve
- Unique configuration capabilities
- · Improved solids-handling

#### **Three Times The Pressure**

The patented UltraMate® can be paired with the Ultra V Series pump when system requirements exceed the Ultra V's exceptional performance range. By adding the UltraMate unit directly to the Ultra V through an innovative transition chamber, maximum pressure is increased up to three times




the pressure of traditional solids-handling, selfpriming, single stage pumps. Losses associated with conventional series connected pumps are also reduced, resulting in increased efficiencies.

# Smart Scroll® Discharge Locator

The patented Smart Scroll® can be rotated to fit your specific piping system. It can be ordered in vertical or horizontal facing, left or right positions.





- 1-Removable Suction Check Valve
- 2-Easy-Off Coverplate Nuts
- 3-Pusher Bolt Holes
- 4-Removable Back Coverplate
- 5-Pressure Relief Valve
- **6–Shimless Coverplate Adjustment**
- 7—Self-Cleaning Replaceable Wearplate
- 8—Heavy-Duty Impeller
- 9-Cartridge Mechanical Seal
- 10-Atmospheric Bearing Isolation
- 11-Two Double Lip Seals

- 12-Heavy-Duty Bearings
- 13-Oversized Seal Oil Chamber
- 14—Removable Rotating Assembly
- 15-Bearing Oil Sight Gauge
- 16-Seal Oil Sight Gauge
- 17-Removable Rotating Assembly\*
- 18-Removable Back Coverplate\*
- 19-Smart Scroll®
- 20-Transition Chamber
- 21-Fill Port

\*Interchangeable with Ultra V rotating assembly

#### **Specifications**

Pump Size: 3" (75 mm), 4" (100 mm), 6" (150 mm), Max. Capacity: 1900 GPM (119.9 lps)

Max. Solids: 3" (76.2 mm) Max. Head: 325' (99.1 m) Materials of Construction: Cast Iron, 316 Stainless Steel Fitted, CD4MCu, G-R

Hard Iron Fitted

# **ECONOMICAL OPERATION EASY TO SERVICE**



## Gorman-Rupp's patented external shimless adjustment design doubles the life of the impeller and wearplate.

The external shimless coverplate allows for easy adjustment of the clearance between the impeller and the wearplate. This process eliminates the need to realign belts, couplings or other drive components. In turn, the working height of the seal assembly and impeller back clearance are not disturbed. The unique collar and adjusting screw allow for incremental adjustments of the wearplate clearance.

Once adjustments have been made, the collar locks in place, maintaining the clearance setting even if the coverplate is removed. This design feature doubles the life of the impeller and wearplate while maintaining peak operating efficiency.

#### **Easily Removable Coverplate**

The removable coverplate with easy-grip handle and pusher bolt capability provides quick and easy access to the pump interior.







#### **Dual Bearing Protection**



An atmospheric barrier along with two lip seals provide additional protection of the pump bearings. This unique design also allows for quick

and easy external monitoring of the bearing cavity.

#### **Solids-Handling Impeller**

The two-vane, semi-open solids handling impeller handles up to 3" (76.2 mm) diameter solids, depending on pump model. Pump out vanes on the impeller shroud reduce foreign material buildup behind the impeller and reduce pressure on the seal and bearings.



#### **Removable Rotating Assembly**

The entire rotating assembly can be removed without disturbing the pump volute or piping. Pusher bolt holes are provided to assist with removal. This allows for quick and easy installation of a spare rotating assembly, resulting in less downtime.

#### **Replaceable Wearplate**

A replaceable self-cleaning wearplate ensures debris is cleared away and does not collect on the impeller vanes. This innovative design reduces the overall life cycle costs by minimizing blockage within the pump.



#### **Check Valve**



A positive sealing, externally removable suction check valve is standard on Ultra V Series® models. This eliminates the need to disconnect any piping for

inspection or replacement. The check valve has a blowout center that limits excessive volute pressure, protecting the pump.

#### **Gorman-Rupp Cartridge Seal**

The exclusive double-floating, self-aligning, oil lubricated mechanical cartridge seal with silicon carbide stationary and rotating faces is specifically designed for abrasive and/or trash handling service. Consult the factory for additional seal configurations.



## **GORMAN-RUPP ULTRA V SERIES®**

### The Right Pump For The Job

Built upon the foundation of the Super T Series®, Gorman-Rupp Ultra V Series® pumps excel in high-head applications where traditional selfpriming trash pumps fall short. Available in three sizes, these pumps can be configured as a trailer mounted enginedriven unit or be part of an engineered ReliaSource® pump station that is factory assembled, tested, shipped, and ready for installation.

design developed to meet three inch solids-

handling requirements

in a three inch pump.

#### **Basic Pumps**



Ultra V Series® Size: 3" (75 mm)



Ultra V Series® Size: 4" (100 mm)



Ultra V Series® Size: 6" (150 mm)



VS Series Size: 6" (150 mm)

# Drive Variations



Ultra V Series®
Engine driven
Shown with optional wheel kit



Ultra V Series®
ReliaSource® packaged
pumping station



VS Series Size: 3" (75 mm)

#### VS Series Size: 4" (100 mm)

#### Size: 4" (100 m


#### .

#### **Optional Accessories**

- Industrial & Municipal ReliaSource<sup>®</sup> Packages
- Automatic Air Release Valve
- Discharge Check Valve
- Suction & Discharge Flange Kits
- Volute Casing Heater
- Suction & Discharge Gauge Kits
- Complete Replacement Rotating Assembly
- Pump Spare Parts Kit
- Pump Easy Drain Kit
- Custom Seal Options
- Controls & Complete Stations
- Optional Elastomers and Suction Flap Valve Materials (EPDM, Neoprene, AFLAS-TFE, Viton®\*)

# The V3B and VS3B models offer an optional hydraulic Pump Performance Data Ultra V Series®

**NOTE:** Consult factory for other performance conditions.



7

## FLUID HANDLING EQUIPMENT DESIGNED WITH YOUR NEEDS IN MIND.



The Gorman-Rupp Company Mansfield, Ohio, USA

**Mansfield Division** 

Mansfield, Ohio, USA

**Gorman-Rupp International** 

Mansfield, Ohio, USA

**Gorman-Rupp Industries** 

Bellville, Ohio, USA

**American Machine and** Tool Co., Inc. of Pennsylvania

Royersford, Pennsylvania, USA

**National Pump Company** 

Fresno, California, USA

Glendale, Arizona, USA (Headquarters) Lubbock, Texas, USA

Olive Branch, Mississippi, USA Vienna, Georgia, USA

Zolfo Springs, Florida, USA

Cape Town, South Africa Durban, South Africa

Johannesburg, South Africa (Headquarters)

**Gorman-Rupp Europe** 

Leeuwarden, Netherlands

**Patterson Pump Ireland Limited** 

County Westmeath, Ireland

**Gorman-Rupp of Canada Limited** St. Thomas, Ontario, Canada

**Distribution Centers** 

Bangkok, Thailand Dubai, United Arab Emirates Grand Prairie, Texas, USA Leeuwarden, Netherlands

Sparks, Nevada, USA

Engineering and manufacturing superiority has been a hallmark of Gorman-Rupp since our inception in 1933. Today we bring our products to life in some of the most efficient, modern and state-of-the-art manufacturing facilities in the world. Gorman-Rupp has a selection of nearly 3,000 pump models, and our world-class team of distributors has worked closely with thousands of end users around the world. We have the proven expertise and the resources to specify, manufacture, test and service your pump, and to ensure reliable performance for the long haul.





#### THE GORMAN-RUPP COMPANY MANSFIELD DIVISION P.O. BOX 1217

MANSFIELD, OHIO 44901-1217 USA TEL: 419.755.1011 FAX: 419.755.1251 GRSALES@GORMANRUPP.COM

#### **GORMAN-RUPP INTERNATIONAL** PO BOX 1217

MANSFIELD, OHIO 44901-1217 USA TEL: 419.755.1011 FAX: 419.755.1266 INTSALES@GORMANRUPP.COM

#### **GRPUMPS.COM**

**GORMAN-RUPP OF CANADA** 70 BURWELL ROAD ST. THOMAS, ONTARIO N5P 3R7 CANADA TEL: 519.631.2870 FAX: 519.631.4624 GRCANADA@GORMANRUPP.COM



